I. IDENTIFICATION

Product identification used on label

Product Name: ARRIBA TWIST - PURE LINEN

Product Identifier: RW107801231

Recommended Use of the Liquid Odor Counteractant

Chemical and restrictions on use:

Company: San Jamar

555 Koopman Lane Elkhorn, WI 53121

Emergency Phone V

WITHIN USA AND CANADA: 1-800-255-3924 OUTSIDE USA AND CANADA: +1-813-248-0585

www.Sanjamar.com

II. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:

Number:



GHS Classification: Skin Corrosion/Irritation Category 2; Serious Eye Damage/Eye Irritation Category 2A; Reproductive

Toxicity Category 2; Hazardous to the aquatic environment - Acute Category 2; Hazardous to the aquatic

environment - Chronic Category 2; Flammable Liquid Category 4

GHS Signal Word: Warning

GHS Hazard Combustible Liquid; Causes skin irritation; May cause an allergic skin reaction; Causes serious eye

irritation; Toxic to aquatic life; Toxic to aquatic life with long lasting effects. There are no other hazards not otherwise classified that have been identified. 0% of the mixture consists of ingredient(s) of

unknown toxicity.

GHS Precautions:

Safety Precautions: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid breathing

dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing should

not be allowed out of the workplace. Avoid release to the environment. Wear protective

gloves/protective clothing/eye protection/face protection.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see ... on this label). If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. In case of fire: Use ... to

extinguish. Collect spillage.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation for

hazardous wastes.

III. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS# | % | |
|---|------------|-----------|--|
| Bicyclo[2.2.1]heptan-2-ol, 1,7,7-trimethyl-, 2-acetate, (1R,2R,4R)- | 125-12-2 | 10 - 30 | |
| rel- | | | |
| 7-Octen-2-ol, 2,6-dimethyl- | 18479-58-8 | 7 - 15 | |
| 1,6-Octadien-3-ol, 3,7-dimethyl-, 3-acetate | 115-95-7 | 5 - 10 | |
| 2,6-Octadien-1-ol, 3,7-dimethyl-, 1-acetate, (2E)- | 105-87-3 | 3 - 7 | |
| 1,6-Octadien-3-ol, 3,7-dimethyl- | 78-70-6 | 3 - 7 | |
| Oils, eucalyptus | 8000-48-4 | 1 - 5 | |
| Terpenes and Terpenoids, lemon-oil | 68917-33-9 | 1 - 5 | |
| Cyclohexanol, 4-(1,1-dimethylethyl)-, 1-acetate | 32210-23-4 | 1 - 5 | |
| 2H-1-Benzopyran-2-one | 91-64-5 | 1 - 5 | |
| 2-Heptanol, 2,6-dimethyl- | 13254-34-7 | 1 - 5 | |
| 1-Hexanol, 3,5,5-trimethyl-, 1-acetate | 58430-94-7 | 1 - 5 | |
| Cyclohexanol, 4-(1,1-dimethylethyl)- | 98-52-2 | 1 - 5 | |
| Benzoic acid, 2-hydroxy-, hexyl ester | 6259-76-3 | 1 - 5 | |
| 3-Cyclohexene-1-methanol, .alpha.,.alpha.,4-trimethyl-, 1-acetate | 80-26-2 | 0.5 - 1.5 | |
| Cyclohexene, 1-methyl-4-(1-methylethylidene)- | 586-62-9 | 0.5 - 1.5 | |
| 2-Phenylethanol | 60-12-8 | 0.5 - 1.5 | |
| Acetic acid, phenylmethyl ester | 140-11-4 | 0.5 - 1.5 | |
| 6-Octen-1-ol, 3,7-dimethyl- | 106-22-9 | 0.5 - 1.5 | |
| Octanal, 2-(phenylmethylene)- | 101-86-0 | 0.5 - 1.5 | |
| Ethanone, 1-[(3R,3aR,7R,8aS)-2,3,4,7,8,8a-hexahydro-3,6,8,8- | 32388-55-9 | 0.1 - 1 | |
| tetramethyl-1H-3a,7-methanoazulen-5-yl]- | | | |
| Benzenepropanal, .alphamethyl-4-(1-methylethyl)- | 103-95-7 | 0.1 - 1 | |
| Benzenepropanal, 4-(1,1-dimethylethyl)alphamethyl- | 80-54-6 | 0.1 - 1 | |
| 3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl)- | 31906-04-4 | 0.1 - 1 | |
| 3-Cyclohexene-1-carboxaldehyde, 2,4-dimethyl- | 68039-49-6 | 0.1 - 1 | |

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

IV. FIRST-AID MEASURES

| Inhalation: | Remove to fresh air. If breathing is difficult, have a trained individual administer | | |
|---------------|--|--|--|
| | oxygen. If not breathing, give artificial respiration and have a trained individual | | |
| | administer oxygen. Get medical attention immediately. | | |
| Eyes: | Immediately flush eyes with plenty of water for at least 20 minutes retracting | | |
| | eyelids often. Tilt the head to prevent chemical from transferring to the | | |
| | uncontaminated eye. Get immediate medical attention and monitor the eye daily | | |
| | as advised by your physician. | | |
| Skin Contact: | Wash with soap and water. Remove contaminated clothing and launder. Get | | |
| | medical attention if irritation develops or persists. | | |
| Ingestion: | Do not induce vomiting and seek medical attention immediately. Drink two glasses | | |
| - | of water or milk to dilute. Provide medical care provider with this MSDS. Induce | | |
| | vomiting as a last measure. Induced vomiting may lead to aspiration of the material | | |

into the lungs potentially causing chemical pneumonitis.

Most important

symptoms and effects -

No Data Available

acute

Most important

symptoms and effects -

No Data Available

chronic

Notes to Doctor: No additional first aid information available

V. FIRE FIGHTING MEASURES

Flammability Summary: Combustible

Extinguishing Media: Use alcohol resistant foam, carbon dioxide, or dry chemical

extinguishing agents. Water may be ineffective but water spray can be used extinguish a fire if swept across the base of the flames. Water can absorb heat and keep exposed material from being

damaged by fire.

Extinguishing Media advised against: No Data Available

Fire and/or Explosion Hazards: Vapors may be ignited by sparks, flames or other sources of ignition

if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back. Combustible Liquid. Can form explosive mixtures at

temperatures at or above the flash point.

Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Do not enter fire area without proper protection including self-

contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products.

Hazardous Combustion Products: Carbon Oxides, Carbon dioxide, Carbon monoxide

VI. ACCIDENTAL RELEASE MEASURES

Fire Fighting Methods and Protection:

Personal Precautions and Equipment: No health affects expected from the clean-up of this material if

contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

Methods for Clean-up: No special spill clean-up considerations. Collect and discard in regular

trash.

VII. HANDLING AND STORAGE

Handling Technical Measures and Precautions: Mildle

Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product

ARRIBA TWIST -PURE LINEN

Page 3 of 8

residue (liquid and/or vapor) and can be dangerous. Use with

adequate ventilation

Storage Technical Measures and Conditions: Store in a cool dry place. Isolate from incompatible materials.

Keep container closed when not in use Store in a cool dry place Keep away from heat, sparks, and flame Keep away from sources of ignition Limit quantity of material stored.

Store in a tightly closed container

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents Amines Strong acids Caustics (bases)

Strong bases alkalies oxidizing agents Acids Bases Reducing

agents

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures: Local exhaust ventilation or other engineering controls are normally required when

handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Ventilation is required to maintain operator exposure below published exposure limits. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits Engineering controls must be designed to control vapor concentrations to below levels published in 29 CFR 1910.1000. Facilities storing or using this material should be equipped with an

eyewash and safety shower.

Respiratory Protection: Respiratory protection will be required when handling this product. Use respirators

only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Wear a NIOSH approved respirator if any exposure is possible. A

supplied air type respiratory will be required.

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product.

Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.

Wear goggles and a Face shield

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through and replace at

regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber

boots, and chemical safety goggles plus a face shield

Gloves: No information available

Handling Instructions: As with all chemicals, good industrial hygiene practices should be followed when

handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well-ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use

with adequate ventilation

Control Parameters:

 Chemical Name
 ACGIH TLV-TWA
 ACGIH STEL
 OSHA PEL

 No Data Available
 No TLV
 No PEL established

ARRIBA TWIST -PURE LINEN

Page 4 of 8

IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Color: Very pale yellow

Odor: Comparable to Standard

Odor Threshold: ND

pH: Not Available
Viscosity: Not Available
Decomposition Temperature: Not Available
Initial Boiling Point: 280 ° F
Flash Point: 160 ° F
Evaporation Rate: Not Available
Flammability (Solid, Gas): No Data Available

Upper Flammable/Explosive Limit: 6.0
Lower Flammable/Explosive Limit: 1.2
Vapor Density: > 1
Relative Density: 1

Solubility in Water: Soluble in water- No

Octanol/Water Partition Coefficient: 3.86 3.1 2.84 4.02 3.794 4.47 = 3.41 at 20 degree C 4.686

Auto-ignition Temperature:270 ° CDecomposition Temperature:215Volatiles, % by weight:26.94Volatiles, % by weight:26.94Bulk Density:34.632

X. STABILITY AND REACTIVITY

Reactivity: No Data Available

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: No Data Available

Conditions to Avoid: Temperatures above flash point in combination with sparks,

open flames, or other sources of ignition. Heat flame sparks

Contamination Elevated temperatures Extremes of

temperature direct sunlight Protect from light and air Avoid

sources of ignition

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents Amines Strong acids Caustics (bases)

Strong bases alkalis Oxidizing agents Acids Bases Reducing

agents

Hazardous Decomposition Products: Carbon Oxides Carbon dioxide Carbon monoxide

XI. TOXICOLOGICAL INFORMATION

Routes of Entry: Skin contact, Eye contact, Inhalation

Most Important No Data Available

Symptoms:

Target Organs Potentially Affected by Exposure: Kidneys, Eyes, Skin, Nervous System, Respiratory Tract

Chemical Interactions That Change Toxicity: None Known

Medical Conditions Aggravated by Exposure: Kidney disease, Eye disease, Skin disease including eczema and sensitization,

Respiratory disease including asthma and bronchitis

Immediate (Acute) Health Effects by Route of Exposure:

Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause

permanent damage.

Skin Absorption: No absorption hazard in normal industrial use.

Eye Contact: Contact with the eyes may cause moderate to severe eye injury. Eye contact may

result in tearing and reddening, but not likely to permanently injure eye tissue.

Temporary vision impairment (cloudy or blurred vision) is possible.

Ingestion Irritation: Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea. Aspiration of material into the lungs can cause chemical

pneumonitis.

Ingestion Toxicity: Harmful if swallowed.

Long-Term (Chronic) Health Effects:

Carcinogenicity:None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive toxicity:No data available to indicate product or any components present at greater than

0.1% may cause birth defects. Possible reproductive hazard.

Germ cell mutagenicity:No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, can cause severe respiratory irritation,

dizziness, weakness, fatigue, nausea, headache and possible unconsciousness.

Skin Contact: Upon prolonged or repeated contact, can cause moderate skin irritation, defatting,

and dermatitis. Not likely to cause permanent damage.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial use.

Component Toxicology Data:

Chemical Name CAS Number LD50/LC50

No data available

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

| Chemical Name | OSHA Carcinogen | IARC Carcinogen | NTP Carcinogen |
|-------------------|-----------------|-----------------|----------------|
| No Data Available | | | |

XII. ECOLOGICAL INFORMATION

Overview: This material is not expected to be harmful to the ecology.

Mobility in Soil:No Data AvailablePersistence:No Data AvailableBioaccumulation:No Data AvailableOther adverse effectsNo Data Available

Ecotoxicity Data

Chemical Name CAS Number Aquatic EC50 Aquatic ERC50 **Aquatic LC50 Fish** Crustacea

No Data Available

XIII. DISPOSAL CONSIDERATIONS

Waste Description for Spent Product:

Waste Description for Empty

Packaging:

Spent or discarded material may be a hazardous waste.

No Data Available

Disposal Methods: DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY

BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations

Algae

may vary in different locations. Waste characterizations and

compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device.

Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance

with all applicable regulations.

XIV. TRANSPORTATION INFORMATION

US DOT Ground Shipping Description: Not Restricted **IATA Shipping Description:** Not Restricted **IMDG Shipping Description:** Not Restricted

XV. REGULATORY INFORMATION

TSCA Status All components in this product are on the TSCA Inventory.

Chemical Name CAS# Regulation % Range 91-64-5 **SARA 313** N590 Polycyclic aromatic compounds 1 - 5

(PACs)

XVI. OTHER INFORMATION

Revision Date: 09-29-2014

Disclaimer: Important: While the descriptions, data and information contained herein are presented in

> good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use.

Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied,

including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.